ELSEVIER

Brain Research 885 (2000) 322–324

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Adams, A.C. and Keefe, K.A.
Degree of immediate early gene induction in striatum by eticlopride determines sensitivity to *N*-methyl-D-aspartate receptor blockade (885) 201
Akiyama, H., see Togo, T. (885) 117
Ali, S.F., see Mandavilli, B.S. (885) 45
Alkadhi, K.A., see Otoom, S.A. (885) 289
Amodeo, J., see Lein, P. (885) 220
Andrew, R.D., see Mendoza-Fernández, V. (885) 14

Badura, L.L., see Illig, A.M. (885) 192
Barajas-López, C., see Mendoza-Fernández, V. (885) 14
Barnes, C.A., see Wenk, G.L. (885) 1
Blackmon, S.M., Peng, Y.-W., Hao, Y., Moon, S.J., Oliveira, L.B., Tatebayashi, M., Petters, R.M. and Wong, F.
Early loss of synaptic protein PSD-95 from rod terminals of rhodopsin P347L transgenic porcine retina (885) 53
Bowyer, J.F.
Neuronal degeneration in the limbic system of weanling rats exposed to saline, hyperthermia or *d*-amphetamine (885) 166

Calingasan, N.Y. and Gibson, G.E.
Dietary restriction attenuates the neuronal loss, induction of heme oxygenase-1 and blood–brain barrier breakdown induced by impaired oxidative metabolism (885) 62
Cattini, P., see Grothe, C. (885) 172
Cha, C.I., see Chung, Y.H. (885) 137
Chan, Y.-S., see Chen, L.-W. (885) 122
Chase, M.H., see Fung, S.J. (885) 262
Chen, L.-W., Wei, L.-C., Liu, H.-L., Duan, L., Ju, G. and Chan, Y.-S.
Retinal dopaminergic neurons (A17) expressing neuromedin K receptor (NK_3): a double immunocytochemical study in the rat (885) 122
Chung, Y.H., Shin, C.-M., Kim, M.J., Lee, B.-K., Park, K.H. and Cha, C.I.
Immunocytochemical study on the distribution of p53 in the hippocampus and cerebellum of the aged rat (885) 137
Cirelli, C. and Tononi, G.
Gene expression in the brain across the sleep–waking cycle (885) 303

deCrespigny, A., see Yenari, M.A. (885) 208
Deininger, M.H., Meyermann, R., Trautmann, K., Morgalla, M., Duffner, F., Grote, E.H., Wickboldt, J. and Schluesener, H.J.
Cyclooxygenase (COX)-1 expressing macrophages/microglial cells and COX-2 expressing astrocytes accumulate during oligodendroglioma progression (885) 111
Di Monte, D.A., see He, L. (885) 133
Di Monte, D.A., see Thiffault, C. (885) 283
Duan, L., see Chen, L.-W. (885) 122
Duffner, F., see Deininger, M.H. (885) 111

Engelhardt, J.K., see Fung, S.J. (885) 262
Eto, Y., see Yagi, T. (885) 273

Förstermann, U., see Heinrich, U.-R. (885) 6
Fox, A.P., see Harkins, A.B. (885) 231
Fukumura, M., see Yagi, T. (885) 273
Fung, S.J., Yamuy, J., Xi, M.-C., Engelhardt, J.K., Morales, F.R. and Chase, M.H.
Changes in electrophysiological properties of cat hypoglossal motoneurons during carbachol-induced motor inhibition (885) 262

Gallagher, P.J., see Lein, P. (885) 220
Gibson, G.E., see Calingasan, N.Y. (885) 62
Grote, E.H., see Deininger, M.H. (885) 111
Grothe, C., Heese, K., Meisinger, C., Wewetzer, K., Kunz, D., Cattini, P. and Otten, U.
Expression of interleukin-6 and its receptor in the sciatic nerve and cultured Schwann cells: relation to 18-kD fibroblast growth factor-2 (885) 172

Haddad, G.G., see Zhang, J. (885) 143
Haller, H., see Lippoldt, A. (885) 251
Hao, Y., see Blackmon, S.M. (885) 53
Hara, M., see Yagi, T. (885) 273
Harkins, A.B. and Fox, A.P.
Activation of purinergic receptors by ATP inhibits secretion in bovine adrenal chromaffin cells (885) 231
Hatakeyama, R., see Tha, K.K. (885) 25
Hayashi, Y., see Tha, K.K. (885) 25
He, L., Di Monte, D.A., Langston, J.W. and Quik, M.
Autoradiographic analysis of dopamine receptor-stimulated [^{35}S]GTPγS binding in rat striatum (885) 133
Hedehus, M., see Yenari, M.A. (885) 208
Heese, K., see Grothe, C. (885) 172
Heinrich, U.-R., Maurer, J., Koesling, D., Mann, W. and Förstermann, U.
Immuno-electron microscopic localization of the α_1 and β_1-subunits of soluble guanylyl cyclase in the guinea pig organ of Corti (885) 6
Hirashima, Y., Ueno, H., Karasawa, K., Yokoyama, K., Setaka, M. and Takaku, A.
Transfection of the plasma-type platelet-activating factor acetylhydrolase gene attenuates glutamate-induced apoptosis in cultured rat cortical neurons (885) 128
Hoffman, G.E., see McDonald, T.J. (885) 70
Howie, H., see Lein, P. (885) 220
Hu, B., Li, X., Zhou, Y. and Shou, T.
Effects of bicuculline on direction-sensitive relay cells in the dorsal lateral geniculate nucleus (LGNd) of cats (885) 87

Ikeda, K., see Togo, T. (885) 117
Illig, A.M., Melia, K., Snyder, P.J. and Badura, L.L.
Sodium valproate alters GnRH–GABA interactions during development in seizure-prone mice (885) 192
Iseki, E., see Togo, T. (885) 117
Ishida, N., see Oishi, K. (885) 298
Itsukaichi, Y., see Katsuki, H. (885) 240

Jikihara, I., see Yagi, T. (885) 273
Ju, G., see Chen, L.-W. (885) 122
Julien, J.-P., see Križ, J. (885) 32

Kalbacher, H., see Lippoldt, A. (885) 251
Karasawa, K., see Hirashima, Y. (885) 128
Kato, M., see Togo, T. (885) 117
Katsuki, H., Itsukaichi, Y. and Matsuki, N.
Distinct signaling pathways involved in multiple effects of basic fibroblast

0006-8993/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(00)03138-3

growth factor on cultured rat hippocampal neurons (885) 240
Keefe, K.A., see Adams, A.C. (885) 201
Kelly, P.A.T., Ritchie, I.M. and McBean, D.E. 7-Nitroindazole reduces cerebral blood flow following chronic nitric oxide synthase inhibition (885) 295
Kim, M.J., see Chung, Y.H. (885) 137
Kirsch, T., see Lippoldt, A. (885) 251
Kniesel, U., see Lippoldt, A. (885) 251
Koesling, D., see Heinrich, U.-R. (885) 6
Kondo, H., see Togo, T. (885) 117
Kosaka, K., see Togo, T. (885) 117
Križ, J., Zhu, Q., Julien, J.-P. and Padjen, A.L. Electrophysiological properties of axons in mice lacking neurofilament subunit genes: disparity between conduction velocity and axon diameter in absence of NF-H (885) 32
Kunz, D., see Grothe, C. (885) 172

Langston, J.W., see He, L. (885) 133
Langston, J.W., see Thiffault, C. (885) 283
Lee, B.-K., see Chung, Y.H. (885) 137
Lein, P., Gallagher, P.J., Amodeo, J., Howie, H. and Roth, J.A. Manganese induces neurite outgrowth in PC12 cells via upregulation of α_v integrins (885) 220
Li, X., see Hu, B. (885) 87
Liebner, S., see Lippoldt, A. (885) 251
Lippoldt, A., Kniesel, U., Liebner, S., Kalbacher, H., Kirsch, T., Wolburg, H. and Haller, H. Structural alterations of tight junctions are associated with loss of polarity in stroke-prone spontaneously hypertensive rat blood–brain barrier endothelial cells (885) 251
Liu, H.-L., see Chen, L.-W. (885) 122

Maeda, M., see Yagi, T. (885) 273
Mandavilli, B.S., Ali, S.F. and Van Houten, B. DNA damage in brain mitochondria caused by aging and MPTP treatment (885) 45
Mann, W., see Heinrich, U.-R. (885) 6
Matsuki, N., see Katsuki, H. (885) 240
Maurer, J., see Heinrich, U.-R. (885) 6
McBean, D.E., see Kelly, P.A.T. (885) 295
McDonald, T.J., Wei Le, W. and Hoffman, G.E. Brainstem catecholaminergic neurons activated by hypoxemia express GR and are coordinately activated with fetal sheep hypothalamic paraventricular CRH neurons (885) 70
Meisinger, C., see Grothe, C. (885) 172
Melia, K., see Illig, A.M. (885) 192
Mendoza-Fernández, V., Andrew, R.D. and Barajas-López, C. Interferon-α inhibits long-term potentiation and unmasks a long-term depression in the rat hippocampus (885) 14
Meyermann, R., see Deininger, M.H. (885) 111
Miyake, Y., see Oishi, K. (885) 298
Miyazaki, H., see Tha, K.K. (885) 25
Moon, S.J., see Blackmon, S.M. (885) 53
Morales, F.R., see Fung, S.J. (885) 262
Morgalla, M., see Deininger, M.H. (885) 111
Moseley, M.E., see Yenari, M.A. (885) 208
Müller, M., see Somjen, G.G. (885) 102
Murai, I., see Oishi, K. (885) 298
Murayama, T., see Tha, K.K. (885) 25

Nagase, T., see Oishi, K. (885) 298
Nomura, Y., see Tha, K.K. (885) 25

Ohashi, T., see Yagi, T. (885) 273
Oishi, K., Murai, I., Sakamoto, K., Otsuka, H., Miyake, Y., Nagase, T. and Ishida, N. The pineal gland is not essential for circadian expression of rat *period* homologue (*rper2*) mRNA in the suprachiasmatic nucleus and peripheral tissues (885) 298
Okuma, Y., see Tha, K.K. (885) 25
Oliveira, L.B., see Blackmon, S.M. (885) 53
Onley, D., see Yenari, M.A. (885) 208
Otoom, S.A. and Alkadhi, K.A. Action of carbamazepine on epileptiform activity of the verartidine model in CA1 neurons (885) 289
Otsuka, H., see Oishi, K. (885) 298
Otten, U., see Grothe, C. (885) 172

Padjen, A.L., see Križ, J. (885) 32
Park, K.H., see Chung, Y.H. (885) 137
Peng, Y.-W., see Blackmon, S.M. (885) 53
Perkins, M., see Waraczynski, M. (885) 154
Petters, R.M., see Blackmon, S.M. (885) 53

Quik, M., see He, L. (885) 133

Ritchie, I.M., see Kelly, P.A.T. (885) 295
Roth, J.A., see Lein, P. (885) 220

Sakamoto, K., see Oishi, K. (885) 298
Schluesener, H.J., see Deininger, M.H. (885) 111
Setaka, M., see Hirashima, Y. (885) 128
Shin, C.-M., see Chung, Y.H. (885) 137
Shou, T., see Hu, B. (885) 87
Snyder, P.J., see Illig, A.M. (885) 192
Somjen, G.G. Enhancement of persistent sodium current by internal fluorescence in isolated hippocampal neurons (885) 94
Somjen, G.G. and Müller, M. Potassium-induced enhancement of persistent inward current in hippocampal neurons in isolation and in tissue slices (885) 102
Steinberg, G.K., see Yenari, M.A. (885) 208
Sun, G.H., see Yenari, M.A. (885) 208

Takaku, A., see Hirashima, Y. (885) 128
Tatebayashi, M., see Blackmon, S.M. (885) 53
Tha, K.K., Okuma, Y., Miyazaki, H., Murayama, T., Uehara, T., Hatakeyama, R., Hayashi, Y. and Nomura, Y. Changes in expressions of proinflammatory cytokines IL-1β, TNF-α and IL-6 in the brain of senescence accelerated mouse (SAM) P8 (885) 25
Thiffault, C., Langston, J.W. and Di Monte, D.A. Increased striatal dopamine turnover following acute administration of rotenone to mice (885) 283
Togo, T., Akiyama, H., Kondo, H., Ikeda, K., Kato, M., Iseki, E. and Kosaka, K. Expression of CD40 in the brain of Alzheimer's disease and other neurological diseases (885) 117
Tononi, G., see Cirelli, C. (885) 303
Trautmann, K., see Deininger, M.H. (885) 111

Uehara, T., see Tha, K.K. (885) 25
Ueno, H., see Hirashima, Y. (885) 128

Van Houten, B., see Mandavilli, B.S. (885) 45

Waraczynski, M. and Perkins, M. Temporary inactivation of the retrorubral fields decreases the rewarding effect of medial forebrain bundle stimulation (885) 154
Watabe, K., see Yagi, T. (885) 273
Wei, L.-C., see Chen, L.-W. (885) 122
Wei Le, W., see McDonald, T.J. (885) 70
Wenk, G.L. and Barnes, C.A. Regional changes in the hippocampal density of AMPA and NMDA receptors across the lifespan of the rat (885) 1
Wewetzer, K., see Grothe, C. (885) 172
White, D.M. Neurotrophin-3 antisense oligonucleotide attenuates nerve injury-induced Aβ-fibre sprouting (885) 79
Wickboldt, J., see Deininger, M.H. (885) 111
Wolburg, H., see Lippoldt, A. (885) 251
Wong, F., see Blackmon, S.M. (885) 53

Xi, M.-C., see Fung, S.J. (885) 262
Xia, Y., see Zhang, J. (885) 143

Yagi, T., Jikihara, I., Fukumura, M., Watabe, K., Ohashi, T., Eto, Y., Hara, M. and Maeda, M. Rescue of ischemic brain injury by adenoviral gene transfer of glial cell line-derived neurotrophic factor after transient global ischemia in gerbils (885) 273
Yamuy, J., see Fung, S.J. (885) 262
Yenari, M.A., Onley, D., Hedehus, M., deCrespigny, A., Sun, G.H., Moseley, M.E. and Steinberg, G.K.

Diffusion- and perfusion-weighted magnetic resonance imaging of focal cerebral ischemia and cortical spreading depression under conditions of mild hypothermia (885) 208
Yokoyama, K., see Hirashima, Y. (885) 128

Zhang, F., see Zhou, J. (885) 182
Zhang, J., Haddad, G.G. and Xia, Y. δ-, but not μ- and κ-, opioid receptor activation protects neocortical neurons from glutamate-induced excitotoxic injury (885) 143
Zhang, Y., see Zhou, J. (885) 182
Zhou, J., Zhang, F. and Zhang, Y. Corticosterone inhibits generation of long-term potentiation in rat hippocampal slice: involvement of brain-derived neurotrophic factor (885) 182
Zhou, Y., see Hu, B. (885) 87
Zhu, Q., see Križ, J. (885) 32